

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY

MOXISTAR[®]

POUR-ON FOR CATTLE AND RED DEER

ACTIVE CONSTITUENT: 5 g/L MOXIDECTIN

Also contains: 150 g/L HYDROCARBON LIQUID (solvent)



For the treatment and control of moxidectin-sensitive
internal and external parasites in cattle and lungworm
and gastrointestinal roundworms in red deer.

1L



HUNTER RIVER CO.

24700F-3

MOXISTAR CATTLE POUR-ON contains moxidectin, a member of the second generation macrocyclic lactone family of chemicals.

Read the carton for full instructions.

DIRECTIONS FOR USE

Restraints:

Re-treatment interval:

DO NOT re-treat lactating cattle for 21 days after last treatment.

DO NOT re-treat deer for 60 days after last treatment.

Dosage and Administration:

MOXISTAR CATTLE POUR-ON should be applied along the top of the back from the withers to the base of the tail on cattle and red deer. The volume to use is 1 mL per 10 kg liveweight. This will administer the correct dose of 0.5 mg/kg liveweight.

WITHHOLDING PERIODS

MEAT: Cattle - Zero (0) days; Deer - 7 days.

MILK: Cattle - Zero (0) days.

TRADE ADVICE

EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.

SAFETY DIRECTIONS

Poisonous if swallowed. Will irritate eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. When opening the container and pouring large quantities, wear elbow-length PVC gloves. Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID INSTRUCTIONS

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

ENVIRONMENTAL PROTECTION

Very toxic to aquatic life. Do not contaminate dams, rivers, streams or other waterways with the chemical or used containers.

Effect on Dung Beetles

When applied as directed, the levels of MOXISTAR CATTLE POUR-ON in the faeces of treated cattle are not likely to have any significant adverse effect on the following dung beetles: *Onthophagus gazella*, *O. taurus*, *Euoniticellus intermedius* and *E. fulvus*. Effects on other dung beetle species have not been fully evaluated.

STORAGE

Store below 30°C (room temperature) and protect from light.

May be fatal if swallowed and enter airways.

Avoid breathing fumes, mists, vapours or sprays.

Use only outdoors or in a well ventilated area.

Wear personal protective equipment as required.

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. Do NOT induce vomiting. Store in a well-ventilated place. Keep container tightly closed.

BATCH:

EXPIRY:

The Hunter River Company Pty Limited

ACN 133 798 615 | 74-76 Drummond Road, Shepparton VIC 3630

Ph: (03) 5820 8400 | APVMA Approval No. 70420/144093